ELSEVIER

Journal of Organometallic Chemistry 627 (2001) 273–274

Journal of Organometallic Chemistry

www.elsevier.nl/locate/jorganchem

Contents of Volume 627

Regular Papers

New approach to 1-(phenylethynyl)germatranes and 1-(phenylethynyl)-3,7,10-trimethylgermatrane. Reactions of 1-(phenylethynyl)-germatrane with *N*-bromosuccinimide and bromine
S.S. Karlov, P.L. Shutov, A.V. Churakov, J. Lorberth, G.S. Zaitseva 1

Synthesis and spectral characterisation of organotin(IV) 1,3,5-triazine-2,4,6-trithiolato complexes, including the crystal structures of 1,3,5-$(R_3Sn)_3C_3N_3S_3$ (R = Me, Ph)
I. Haiduc, M.F. Mahon, K.C. Molloy, M.M. Venter 6

Synthesis, characterisation and optical properties of symmetrical and unsymmetrical Pt(II) and Pd(II) bis-acetylides. Crystal structure of *trans*-$[Pt(PPh_3)_2(C{\equiv}C{-}C_6H_5)(C{\equiv}C{-}C_6H_4NO_2)]$
R. D'Amato, A. Furlani, M. Colapietro, G. Portalone, M. Casalboni, M. Falconieri, M.V. Russo 13

Five- and six-membered ring Group 14 chalcogenides of the types $(Me_2ME)_3$ (M = Si, Ge, Sn), $E(Si_2Me_4)_2E$, $Me_4Si_2(E)_2MR_x$ (MR_x = $C(CH_2)_5$, $SiMe_2$, $GeMe_2$, $SnMe_2$, $SnPh_2$, BPh) and $[Me_4Si_2(E)_2SiMe{-}]_2$ (E = S, Se, Te)
U. Herzog, G. Rheinwald 23

Modified silica-heterogenised catalysts for use in aqueous enantioselective hydrogenations
J. Jamis, J.R. Anderson, R.S. Dickson, E.M. Campi, W.R. Jackson 37

Immobilized rhodium hydrogenation catalysts
C. Merckle, S. Haubrich, J. Blümel 44

Vibrational spectra and structure of the cyclopentadienyl-anion (Cp^-), the pentamethylcyclopentadienyl-anion (Cp^{*-}) and of alkali metal cyclopentadienyls CpM and Cp*M (M = Li, Na, K)
É. Bencze, B.V. Lokshin, J. Mink, W.A. Herrmann, F.E. Kühn 55

Unexpected formation of the novel mixed μ-oxo, μ-sulfido, bis(μ-thiolato) compound $[Mo(IV)_2Cp_2(\mu\text{-}O)(\mu\text{-}S)(\mu\text{-}SMe)_2]$
P. Schollhammer, F.Y. Pétillon, J. Talarmin, K.W. Muir 67

From dihydropentafulvalenes to asymmetric biferrocene and terferrocene
H. Hilbig, F.H. Köhler, K. Mörtl 71

Organocobaloximes with mixed dioxime equatorial ligands: a convenient one-pot synthesis. X-ray crystal structures of $BnCo^{III}$-(dmgH)(dpgH)Py and $BnCO^{III}$(chgH)(dpgH)py
B.D. Gupta, R. Yamuna, V. Singh, U. Tiwari, T. Barclay, W. Cordes 80

Bromination of ferrocene chalcone derivatives mediated by β-cyclodextrin
W.-y. Liu, T. Xie, Y.-m. Liang, W.-m. Liu, Y.-x. Ma 93

Preparation of aryldiazene complexes of rhodium
G. Albertin, S. Antoniutti, E. Bordignon, A. Tasin 99

Regio- and stereoselective ring-opening dimerization–cross-coupling metathesis of 7-oxanorbornene derivatives
O. Arjona, A.G. Csákÿ, M.C. Murcia, J. Plumet, M.B. Mula 105

Cyclic organohydroborate complexes of metallocenes: Part VI. Syntheses and structures of $Cp_2M\{(\mu\text{-}H)_2BR_2\}$ (M = Ti, Nb; $R_2 = C_4H_8$, C_5H_{10}, C_8H_{14})
F.-C. Liu, C.E. Plečnik, S. Liu, J. Liu, E.A. Meyers, S.G. Shore 109

Synthesis and crystal structure of twisted dinuclear η^3-allylpalladium complexes containing tetradentate nitrogen ligands
N. Tsukada, T. Sato, H. Mori, S. Sugawara, C. Kabuto, S. Miyano, Y. Inoue 121

Catalytic addition of ferrocenyl ketones to olefins with the aid of $Ru(H)_2(CO)(PPh_3)_3$
H. Du, Q. Liu, S. Shi, S. Zhang 127

Erratum
V.P. Ananikov, S.A. Mitchenko, I.P. Beletskaya . . . 132

Book Review . . . 133

Diastereomeric amides from *rac*-3,3′,4,4′-tetramethyl-1,1′-diphosphaferrocene-2-carboxylic acid and (*S*)-α-phenylethylamine: separation and determination of absolute configuration
A. Kłys, R.B. Nazarski, J. Zakrzewski . . . 135

Dinuclear molybdenum complexes containing the novel $\mu,\eta^{1:3}$-AsS_2 ligand: synthesis and molecular structure of $[\{Cp^*_2Mo_2(CO)_2As_2S_4\}\cdot 2Cr(CO)_5]\cdot 0.5CH_2Cl_2$ ($Cp^* = C_5Me_5$)
H. Brunner, F. Leis, J. Wachter, M. Zabel . . . 139

Synthesis and characterization of 2,5,7-trichalcogena-1,3,4,6-tetrasilanorbornanes $(RMeSiSiMe)_2E_3$ (R = Me, Ph/E = S, Se, Te)
U. Herzog, U. Böhme, G. Rheinwald . . . 144

Cyanide bridged oligonuclear complexes containing CuCl and $CuCl_2$
V. Comte, H. Vahrenkamp . . . 153

Copper(I) complexes with the hexaazafulleroid $C_{60}(NR)_6$, derived from (2*S*,4*S*)-4-azido-1-benzyloxycarbonyl-2-(*t*-butylaminocarbonyl)pyrrolidine as multitopic ligand. Catalytic properties in oxidation of sulfides
M. Iglesias, B. Gómez-Lor, A. Santos . . . 159

Synthesis, structural characterization and ^{57}Fe-Mössbauer spectra of ferrocenylhexasilanes
H. Rautz, H. Stüger, G. Kickelbick, C. Pietzsch . . . 167

A convenient synthesis of bromopentaarylcyclopentadienes containing methyl or fluorine substituents
J.-Y. Thépot, C. Lapinte . . . 179

Further studies on dialkyltin 1,3-dithiole-2-thione-4,5-dithiolates, $R_2Sn(dmit)$. Crystal structures of orthorhombic- and monoclinic-$Et_2Sn(dmit)$, and $Me_2Sn(dmit)$
G.M. Allan, R.A. Howie, J.M.S. Skakle, J.L. Wardell, S.M.S.V. Wardell . . . 189

A comparison of the reactions of pentacarbonyliron with cyclic thioethers and related dialkyl sulfides
Q.-Q. Zhang, R.S. Dickson, G.D. Fallon, R. Mayadunne . . . 201

Insertion of alkynes into diterpenoid chromium aminocarbenes: synthesis of ring-C aromatic steroidal analogues
P.D. Woodgate, H.S. Sutherland, C.E.F. Rickard . . . 206

Synthesis of *supine–prone* bis(diene)tungsten complexes bearing catecholate and diphenylacetylene ligands
Y. Nakayama, H. Saito, N. Ueyama, A. Nakamura . . . 221

Re(V)–oxo–dppf and Re(V)–imido–dppf complexes: synthesis, structure, and properties of $Re(X)Cl_3(dppf)$ (X = O, NPh, *N*-C_6H_3-2,6-*i*-Pr_2; dppf = $Fe(\eta^5$-$C_5H_4PPh_2)_2$)
N.-S. Choi, S.W. Lee . . . 226

Synthesis of titanium trichloride complexes of 1,2,3-trisubstituted cyclopentadienyls and their use in styrene polymerization
B.Y. Lee, J.W. Han, H. Seo, I.S. Lee, Y.K. Chung . . . 233

Functional chiral hybrid silica gels prepared from (*R*)- or (*S*)-binaphthol derivatives
A. Brethon, P. Hesemann, L. Réjaud, J.J.E. Moreau, M. Wong Chi Man . . . 239

Cp*Ru-allylcarbene complexes by nucleophilic attack of cyclic Cp*Ru-dicarbenes
C. Ernst, O. Walter, E. Dinjus . . . 249

Synthesis of single and double butterfly iron carbonyl complexes by reactions of $[(\mu$-$RSe)(\mu$-$CO)Fe_2(CO)_6]^-$ anions. Crystal structures of $(\mu$-*p*-$MeC_6H_4Se)[\mu$-$PhCH_2N(H)C{=}S]Fe_2(CO)_6$ and $[(\mu$-$PhSe)(\mu$-$MeAs)Fe_2(CO)_6]_2$
L.-C. Song, G.-L. Lu, Q.-M. Hu, H.-T. Fan, J. Chen, J. Sun, X.-Y. Huang . . . 255

Corrigendum
A. Caballero, E. Díez-Barra, F.A. Jalón, S. Merino, A.M. Rodríguez, J. Tejeda . . . 263

Author Index of Volume 627 . . . 265
Subject Index of Volume 627 . . . 267
Contents of Volume 627 . . . 273